








 CHILTERN PEST SOLUTIONS	<h2 style="margin: 0;">COSHH Risk Assessment</h2> <h3 style="margin: 0;">DIGRAIN WASPS AND HORNETS DESTROYER</h3>	Reference	01
		Review Period	Annually
		Rev. No.	1
		Issue Date	17/08/2024

PRODUCT MANUFACTURER	SDS Date/Version
Lodi UK	18/07/2017 v1
	HSE No/Authorisation No
	7644

PRODUCT DESCRIPTION (colour, form, odour)	INGREDIENTS AND CONCENTRATIONS
Clear Liquid	0.25% Permethrin, 0.24% Tetramethrin









DESCRIPTION OF ACTIVITY OR PROCESS (including duration & frequency of use and quantity & location of use)
One of the strongest wasp destroyers on the market. Pressurised aerosol - can spray up to 18 feet! Proven knock down and efficacy in the field.

CLASSIFICATION								
								
					√		√	√

HAZARD CODES AND HAZARD STATEMENTS			
H222+H229	Extremely flammable aerosol. Pressurized container: may burst if heated.	H319	Causes serious eye irritation.
H225	Highly flammable liquid and vapour.	H332	Harmful if inhaled.
H304	May be fatal if swallowed and enters airways.	H336	May cause drowsiness or dizziness.
H302	Harmful if swallowed.	H400	Very toxic to aquatic life.
H317	May cause an allergic skin reaction.	H410	Very toxic to aquatic life with long lasting effects.
SIGNAL WORD		(Other Hazards)	

HAZARD & EXPOSURE															
Hazard Type						Exposure Route				Who is at Risk?					
Solid		Dust		Mist	√	Vapour		Inhalation	√	Eyes	√	Employees	√	Client	√
Liquid	√	Gas	√	Fume		Other		Ingestion	√	Skin	√	Contractors	√	Public	√

CONTROL MEASURES
<p>Wear personal protection equipment.</p> <p>Remove all sources of ignition.</p> <p>Remove persons to safety.</p> <p>Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.</p> <p>Retain contaminated washing water and dispose it.</p> <p>In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.</p> <p>Suitable material for taking up: absorbing material, organic, sand.</p> <p>Avoid contact with skin and eyes, inhalation of vapours and mists.</p> <p>Don't use empty container before they have been cleaned.</p> <p>Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.</p> <p>Contaminated clothing should be changed before entering eating areas.</p> <p>Do not eat or drink while working.</p>

PPE OTHER THAN STANDARD UNIFORM AND SAFETY WORKBOOTS (State type and standard, including filter type)					
	Safety glasses			Dust mask	
	Goggles	Eye protection is required only if there is a risk of splashing or spraying liquid.		Respirator	
	Visor			Coveralls	
	Gloves	Disposable gloves		Other/Notes	

STORAGE	
Storage	<p>Keep in a dry and cool place. Keep away from heat and direct sunlight. Store in original container, tightly closed Keep out of reach of children Store away from: open flame, direct sunlight, sparks, heat. Do not smoke Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight. Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight. Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Cool and adequately ventilated.</p>

SAFETY	
Safety Phrases	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F. P501 Dispose of contents/container in accordance with applicable regulations.</p>

DISPOSAL COMPONENTS			EWC Code	
Hazardous Waste	Commercial Waste	Domestic Waste	Return to Supplier	Recycling
√			√	

FIRE (hazards & extinguisher type)	Water Spray	Dry Powder	Foam	CO2	Wet Chemical
	<p>Do not inhale explosion and combustion gases. Burning produces heavy smoke. Use suitable breathing apparatus . Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.</p>		√		√

SPILLAGE MEASURES
<p>Rapidly recover the product. To do so, wear a mask and protective clothing. Wash with plenty of water.</p>

FIRST AID MEASURES	
Swallowed	Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.
Eyes	After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Protect uninjured eye.
Skin	Immediately take off all contaminated clothing. Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath). Remove contaminated clothing immediately and dispose of safely.

	After contact with skin, wash immediately with soap and plenty of water.
Inhaled	Remove casualty to fresh air and keep warm and at rest.

RISK RATING FOLLOWING CONTROL MEASURES

Low	Medium	High
	√	

ASSESSOR DETAILS

Assessed By:	Phil Spackman	Signature [Initials]:	
---------------------	---------------	------------------------------	---