










 CHILTERN PEST SOLUTIONS	COSHH Risk Assessment RATIMOR BRODIFACOUM FRESH BAIT	Reference	18
		Review Period	Annually
	Rev. No.	1	
	Issue Date	17/08/2024	

PRODUCT MANUFACTURER	SDS Date/Version
Unichem	27.03.2023 v2.0
	HSE No/Authorisation No
	UK-2015-0857

PRODUCT DESCRIPTION (colour, form, odour)	INGREDIENTS AND CONCENTRATIONS
Blue paste encased in tea bag style sachets	Brodifacoum (0.0029%)





DESCRIPTION OF ACTIVITY OR PROCESS (including duration & frequency of use and quantity & location of use)
 Anticoagulant rodenticide used to control active rat / house mouse populations inside and around buildings and in sewers. Quantity to be used as per product label dependent upon species and area of use. For professional use only. Can be burrow baited. Bait to be removed at end of treatment, not suitable for permanent baiting. To control active rodent activity in and around buildings.





CLASSIFICATION								
								
						✓		

HAZARD CODES AND HAZARD STATEMENTS			
H373	May cause damage to organs (blood) through prolonged or repeated exposure.		
SIGNAL WORD		(Other Hazards)	

HAZARD & EXPOSURE															
Hazard Type						Exposure Route				Who is at Risk?					
Solid	✓	Dust		Mist		Vapour		Inhalation		Eyes		Employees	✓	Client	
Liquid		Gas		Fume		Other		Ingestion	✓	Skin	✓	Contractors	✓	Public	✓

CONTROL MEASURES
 Consider Non-toxic and least toxic options before application
 Always read label before use and comply with details.
 To be used by trained operative (professional) only
 Keep in original, labelled container.
 Remain in control of substance at all times. Storage to be restricted to certified store, out of storage use to be confined to regulated vehicle.
 Locate product to prevent access by non-target species including pets. Within covered station at all times.
 Where risk of interception by 3rd party warning labels to be used to denote use and risk
 Operator to wear suitable PPE when handling. Including gloves. Records of PPE maintenance to be held
 Waste product to be retained and disposed of by Pest Control operator as per EA guidelines.

PPE OTHER THAN STANDARD UNIFORM AND SAFETY WORKBOOTS (State type and standard, including filter type)			
	Safety glasses		
	Dust mask		
	Goggles		
	Respirator		

	Visor			Coveralls	
	Gloves	Disposable gloves		Other/Notes	

STORAGE

Storage	Keep in original labelled container in designated, controlled pesticide store, out of reach of children and protected from elements.
----------------	--

SAFETY

Safety Phrases	<p>P260 Do not breathe dust.</p> <p>P314 Get medical advice/attention if you feel unwell.</p> <p>H373 May cause damage to organs (blood) through prolonged or repeated exposure.</p> <p>P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.</p>
-----------------------	--

DISPOSAL COMPONENTS

DISPOSAL COMPONENTS			EWC Code	
Hazardous Waste	Commercial Waste	Domestic Waste	Return to Supplier	Recycling
√			√	

FIRE (hazards & extinguisher type)

<p>In case of fire or heating do not breathe fumes/vapours. Cool containers at risk with water spray. If possible remove containers from endangered area.</p> <p>Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).</p>	Water Spray	Dry Powder	Foam	CO2	Wet Chemical
	√	√	√	√	

SPILLAGE MEASURES

Clean spillages immediately. Avoid entry to watercourses
--

FIRST AID MEASURES

Swallowed	<p>Do not induce vomiting! Rinse mouth thoroughly with water. In case of doubt or if feeling unwell seek medical help. Show the physician the safety data sheet or label.</p> <p>ANTIDOTE is vitamin K1 – to be administered by a medical or veterinarian professional</p>
Eyes	Immediately flush eyes with plenty of water while keeping eyelids apart (at least 15 minutes). After 5 minutes of rinsing, remove contact lenses, if present, and continue rinsing. If irritation persists, seek professional medical attention.
Skin	Take off all contaminated clothing. Wash affected skin areas thoroughly with plenty of water and soap. If symptoms develop and persist, seek medical attention.
Inhaled	Remove patient to fresh air-move out of dangerous area. If symptoms persist seek medical attention. Unlikely to present an inhalation hazard as the product is supplied as a paste.

RISK RATING FOLLOWING CONTROL MEASURES

Low	Medium	High
	√	

ASSESSOR DETAILS

Assessed By:	Phil Spackman	Signature [Initials]:	
---------------------	---------------	------------------------------	---